

AUTOMATION SOLUTIONS

PNEUMATIC TOOLS FOR CONNECTION TO ROBOTIC SYSTEMS



DYNORBITAL® SUPREME RANDOM ORBITAL SANDERS



DYNABUG® FINISHING SANDER



DYNALINE **FINISHING SANDER**



DYNAFILE® III ABRASIVE BELT TOOL



DYNABELTER ABRASIVE BELT TOOL



TYPE 27 DEPRESSED CENTER WHEEL GRINDERS



4", 4-1/2", 5" AND 7" **DISC SANDERS**



TYPE 41 CUT-OFF WHEFI GRINDERS



DYNASTRAIGHT® ABRASIVE FINISHING TOOL

FINISHING EXCELLENCE MEETS AUTOMATION TECHNOLOGY

Dynabrade has earned a reputation for excellence and a position of leadership in the innovative design and manufacturing of unique pneumatic abrasive power tools, related accessories, and clean air solutions for over fifty years.

Dynabrade Tools for Robots

Our tools are designed to perfectly integrate with collaborative robots, ensuring simple set-up, reliable operation, smooth user experience, and easy programming. The result is fast, smooth, and low-risk integration. Being experts in process solutions, Dynabrade can solve a customer's grinding and finishing concerns by providing proof of concept work at our in-house laboratory.

Features and Benefits

- Easy to set-up.
- Full control of finishing process, finishing force, pattern and abrasive changes for improved consistency.
- Eliminates operator fatigue and potential ergonomic injuries.
- High-durability pneumatic motors allow continuous operation.
- Tools can be quickly changed for multiple finishing processes.
- Solenoid accessory allows auto on/off operation of the tool.
- Dynabrade tools are proudly designed, engineered and manufactured in the USA.



DYNORBITAL® SUPREME RANDOM ORBITAL SANDERS



Tool Kits (56804BK, 56844BK, 56819BK, 56854BK, 56884BK, 56830BK, 56863BK, 56894BK) include Tool, Millibar Tool Changer, Solenoid and Attachment Bracket.

Model No.	Pad Diameter	Orbit	RPM	Vacuum Type
56804B		3/16"	12 000	Vacuum Ready
56804BK	3-1/2"	(5 mm)		
56844B	(89 mm)	3/32"	12,000	
56844BK		(2.5 mm)		
56819B		3/16"	12,000	Vacuum Ready
56819BK		(5 mm)		
56854B	5"	3/32"		
56854BK	(127 mm)	(2.5 mm)		
56884B		3/8"		
56884BK		(10 mm)		
56830B	. 6" (152 mm)	3/16"	-	Vacuum Ready
56830BK		(5 mm)		
56863B		3/32"		
56863BK		(2.5 mm)		
56894B		3/8"		
56894BK		(10 mm)		



DYNABUG® FINISHING SANDER

 57814BK Tool Kit includes Tool, Millibar Tool Changer, Solenoid and Attachment Bracket.

Model No.	Pad Size	Orbit	Vacuum Type
57814B	3-2/3" x 7"	3/32"	Vaarrum Daadu
57814BK	(93 mm x 178 mm)	(2.5 mm)	Vacuum Ready



DYNALINE FINISHING SANDER

 57404BK Tool Kit includes Tool, Millibar Tool Changer, Solenoid and Attachment Bracket.

Model No.	Pad Size	Stroke	Vacuum Type
57404B	2-3/4" x 8"	3/8"	Vaarring Daady
57404BK	(70 mm x 203 mm)	(10 mm)	Vacuum Ready



DYNAFILE® III ABRASIVE BELT TOOL

- 15360B Tool includes Millibar Tool Changer.
- 15360BK Tool Kit includes Tool, Millibar Tool Changer, Solenoid and Attachment Bracket.

Model No.	hp	Abrasive Belt Size
15360B	.7	1/4" to 1" wide x 24" long
15360BK	(522 W)	(6 mm to 25 mm wide x 610 mm long)





DYNABELTER ABRASIVE BELT TOOL

 11476BK Tool Kit includes Tool, Millibar Tool Changer, Solenoid and Attachment Bracket.

Model No.	hp	Abrasive Belt Size
11476B	1.2	1" wide x 30" long
11476BK	(895 W)	(25 mm wide x 762 mm long)



TYPE 27 DEPRESSED CENTER WHEEL GRINDERS

- Tool Kits (52630BK, 52632BK, 52633BK) include Tool, Millibar Tool Changer, Solenoid and Attachment Bracket.

Model No.	Diameter	hp	RPM	Spindle
52630B	4"	1.3	12 500	3/4"-24
52630BK	(102 mm)	(970 W)	13,500	3/4 -24
52632B	4-1/2"	1.3	12 000	5/8"-11
52632BK	(114 mm)	(970 W)	13,000	3/0 -11
52633B	5"	1.3	12 000	5/8"-11
52633BK	(127 mm)	(970 W)	12,000	3/0 -11



DISC SANDERS

- Tool Kits (52631BK, 52658BK, 53868BK) include Tool, Millibar Tool Changer, Solenoid and Attachment Bracket.

Model No.	Diameter	hp	RPM	Spindle
52631B	4"	1.3	12 000	3/4"-24
52631BK	(102 mm)	(970 W)	12,000	3/4 -24
52658B	4-1/2" to 5"	1.3	12 000	5/8"-11
52658BK	(114 to 127 mm)	(970 W)	12,000	3/0 -11
53868B	7"	1.3	0 E00	5/8"-11
53868BK	(178 mm)	(970 W)	8,500	3/0 -11



TYPE 41 CUT-OFF WHEEL GRINDERS

DYNABRADE

- Tool Kits (52584BK, 52585BK) include Tool, Millibar Tool Changer, Solenoid and Attachment Bracket.

Model No.	Diameter	hp	RPM	Spindle
52584B	4-1/2"	1.3	12 000	5/8"-11
52584BK	(114 mm)	(970 W)	13,000	3/0 -11
52585B	5"	1.3	12.000	E/0" 11
52585BK	(127 mm)	(970 W)	12,000	5/8"-11



DYNASTRAIGHT® ABRASIVE FINISHING TOOL

 Tool Kits (13501BK, 13533BK, 13506BK, 13508BK, 13509BK) include Tool. Millibar Tool Changer, Solenoid and Attachment Bracket.

Model No.	hp	RPM
13501B	1	1,800
13501BK	(744 W)	
13533B	1 (744 W)	2,600
13533BK		
13506B	1 (744 W)	3,400
13506BK		
13508B	1 (744 W)	4,500
13508BK		
13509B	1 (744 W)	6,000
13509BK		



REQUEST PROOF OF CONCEPT

Dynabrade can help the customer solve their grinding and finishing concerns. We will provide proof of concept work at our in-house laboratory located at our Corporate Headquarters in Clarence, New York. Additionally, we will provide the customer with a complete detailed report highlighting our results and recommended procedures. As an added feature, no-obligation demonstrations are offered on any Dynabrade tool in our line. Please contact us for details.



MEMBERS OF:



PARTNERS WITH:







AUTOMATION SOLUTIONS D22-14