



PIPE BELT FINISHER

FOR HIGH-QUALITY FINISHES ON ROUNDED SURFACES




WE LISTEN. WE OBSERVE. **WE INNOVATE.**



DYNABRADE PIPE BELT FINISHER

COMPONENT FEATURES

Dynabrade's air-powered Pipe Belt Finisher achieves top-quality finishes on rounded surfaces in record time! This tool has a unique design, which allows the abrasive belt to contact 180° of workpiece, in diameters from 3/8" to 2-3/8" (10 mm - 60 mm). This tool can also be used on diameters up to 6" (152 mm). Sand, blend, polish and finish on metals such as stainless steel and aluminum. An essential tool for metal and railing fabrication, plus pharmaceutical equipment, food industries and more!



FEATURE		BENEFIT
1	EXTENDED REAR EXHAUST MUFFLER	Ensures lowest sound levels.
2	ERGONOMIC TOOL HOUSING	Provides enhanced ergonomic comfort
3	ADJUSTABLE HEAD ASSEMBLY	Head is easily rotated to suit each application.
4	TENSION ARM	Allows quick and easy changing of abrasive belts.
5	ACCEPTS VARIOUS BELT WIDTHS	Accepts optional abrasive belts in widths of 1/2"-1-1/2" by 30" in length.
6	BELT CONTACTS 180° OF CIRCUMFERENCE	Abrasive belt contacts 180° of workpiece, in diameters from 3/8" to 2-3/8". May also be used on rounded surfaces up to 6" in diameter.
7	COMFORTABLE HAND GRIP	Grip may be moved for left or right hand use.
8	SAFETY LOCK THROTTLE LEVER	Prevents accidental startup of tool.

Model No.	Power	Speed	Sound Level	Abrasive Belt Size	Max. Air Flow	Air Consumption	Weight	Length	Height	Width
14360	.7 hp (522 W)	3,400 RPM	82 dB(A)	30" L x 1/2 - 1-1/2" W (762 mm) - (38 mm)	40 SCFM (1,133 L/Min)	5.6 CFM	6.5 lbs (2.9 kg)	18" (457 mm)	13.6" (346 mm)	10" (254 mm)

Additional Specifications | Air Inlet - 1/4" NPT | Air Hose I.D. - 3/8" (10 mm) | Air Pressure - 90 PSIG (6.2 Bar) | Max SFPM - 2,100 SM/Min

ABRASIVE BELTS FOR PIPE BELT FINISHER

1-1/2" WIDE X 30" LONG ABRASIVE BELTS

Dynabrade is long established as the global leader in Abrasive Power Tool technology. We are also your source for the finest in Abrasive Belts, Discs, Sheets and more! Best of all, our abrasive products are backed by the *Dynabrade Difference* – outstanding technical support and unmatched customer service!

DYNACUT™ ZIRCONIA ALUMINA (Z/A) COATED ABRASIVE BELTS

Versatile, high-performance mineral that is sharp, hard and tough. For metalworking finishing on stainless steel, nickel alloy, forged steel and aluminum.



DYNACUT™ ALUMINUM OXIDE (A/O) COATED ABRASIVE BELTS

The most common mineral for general purpose applications, primarily on softer metals. For light and heavier grinding, plus blending on aluminum, carbon steel, brass and bronze.



DYNACUT™ PREMIUM CERAMIC (PCER) COATED ABRASIVE BELTS

Self-sharpening design lasts 50% to 200% longer than other belts. For light/heavier grinding, coatings removal on stainless steel, carbon steel, titanium, nickel alloy, chrome and inconel.



DYNABRITE® & DYNABRITE® PLUS SURFACE CONDITIONING (NWN) BELTS

Tough reinforced non-woven nylon impregnated with abrasive grain and resin. Ideal for surface conditioning, decorative finishing, light/heavy cleaning, blending and polishing.



		COATED ABRASIVES										POLISHING	SURFACE CONDITIONING (NWN)		
Size	Abrasive Grains	Belt Brand	40 Grit	60 Grit	80 Grit	100 Grit	120 Grit	150 Grit	180 Grit	220 Grit	320 Grit	Polishing	Coarse	Medium	Very Fine
1-1/2" W (38 mm) x 30" L (762 mm)	Z/A	DynaCut™	92200	92201	92202	-	92203	-	•	•	•	-	-	-	-
	A/O	DynaCut™	•	95090	90591	-	90592	-	90593	90594	90595	-	-	-	-
	A/O	DynaCut™ Scalloped	-	-	-	90102	90103	90104	90105	-	-	-	-	-	-
	NWN	DynaBrite®	-	-	-	-	-	-	-	-	-	90108	78033	78034	78035
	NWN	DynaBrite® PLUS	-	-	-	-	-	-	-	-	-	-	79591	79592	-
	PCER	DynaCut™ Premium	79153	79154	79155	-	79210	-	•	•	•	-	-	-	-

• Coated and Non-Woven Nylon Belts are also available in 1/2", 1", and 1-1/2" widths. Call for details.


PIPE BELT FINISHER ACCESSORIES

COUPLER & PLUG ASSEMBLY

For Maximum Air Flow to Tool!

Part No. 98265

- Provides up to 138 SCFM (3,900 L/Min) – tool won't be "starved!"
- Offers convenient quick-connect and disconnect feature.
- Includes one 3/8" NPT female coupler and one 3/8" NPT male plug (also sold separately).



DYNASWIVEL® AIR LINE CONNECTOR

Never Fight and Air Hose Again!

Part No. 95461 Aluminum, 3/8" NPT

- The Dynaswivel® is a patented "universal-joint" that connects portable air tools to an air line.
- Swivels 360° AT TWO PIVOT POINTS, allowing the air hose to drop directly to the floor while providing superb tool handling.
- Improves tool maneuverability and air flow, minimizes operator fatigue and extends hose life.



AIR MOTOR TUNE-UP KIT

Maintain Your Tool in Top Condition!

Part No. 96234

- Includes assorted parts to help maintain and repair motor.



DYNABRADE AIR LUBE

For Maximum Air Flow to Tool!

Part No. 95842 1 pt. (473 ml)

Part No. 95843 1 gal. (3.8 L)

- Formulated for pneumatic equipment.
- Absorbs up to 10% of its weight in water.
- Prevents rust and formation of sludge.
- Keeps pneumatic tools operating longer, with greater power and less downtime.



GREASE & GREASE GUN

- Multi-purpose grease for all types of bearings, cams, gears.
- High film strength; excellent resistance to water, steam, etc.
- Workable range -18° C to 149° C (0° F to 300° F).

Part No. 95541 Push-Type Grease Gun

Part No. 95544 71 g (2.5 oz.) Tube



For More Tools and Related Accessories
Visit Dynamabrade.com

WE LISTEN. WE OBSERVE. WE INNOVATE.



Dynabrade, Inc.
8989 Sheridan Drive
Clarence, New York 14031-1419

USA Customers 1-800-828-7333
Canada Customers 1-800-344-1488
dynamabrade.com

Distributed By: