

NEW

RAPTOR

WE LISTEN. WE OBSERVE. WE INNOVATE.

RAPTOR VAC® DRUM VAC PNEUMATIC VACUUM KITS

61203 **SINGLE OPERATOR** FOR USE WITH TOOLS *DRUM AND WHEELED BASE SOLD SEPARATELY DYNABR 61202 61204 - DRY 61205 - WET SINGLE OPERATOR **GENERAL PURPOSE** SINGLE OPERATOR *DRUM AND WHEELED BASE SOLD SEPARATELY **GENERAL PURPOSE** *DRUM AND WHEELED BASE SOLD SEPARATELY 32005 **20' VACUUM HOSE** ASSEMBLY WITH INTEGRATED AIR LINE

"M" CLASS DRY VACUUM

PNEUMATIC DRUM VACUUM SINGLE OPERATOR

"M" CLASS DRY VACUUM

These pneumatic powered DrumVac kits are a multi-industry clean air solution with fully integrated features designed to keep an operator working, without being concerned with the arduous task of changing out a vacuum bag in high collection scenarios. Used in conjunction with a 55 gallon drum, this system lends itself to one of the largest capacity portable dust/chip collection systems in the industry. Models 61204 and 61205 offer the highest level of lift performance, when speaking to large debri/chips in a dry or wet state.

Operator Benefits

- 55 Gallon drum equates to large collection capacity.
- No bag change-out requirements.
- Anti-Static clean up kit eliminates static discharge to operator.
- Vacuum hose with integrated airline reduces operator fatigue. And prevents tripping hazards.

Functionality Highlights

- Pneumatic venturi design with no mechanical parts to fail.
- Self-cleaning HEPA filtration provides a burst of clean air through filter, promoting proper airflow for power-head performance and extended filter life.
- Single operator mode only, ensures efficient performance when used for General purpose cleanup or use with tool.
- Integrated auto on/off when using system with tool.

QUICK REFERENCE MATERIAL GUIDE FOR DUST COLLECTION

Please consult factory for additional qualified materials.



PURPOSE



WITH TOOLS



GENERALPURPOSE WET CHIP



WHEELED BASE -	•		
HEAVY DUTY COMPACT BASI (SOLD SEPARATELY)	E	0	Ø

Model No.	Description	Powered By	Noise Level dB(A)	Air Pressure (PSIG)	H.E.P.A. Filter	Air Supply	Unit Capacity Size	Supporting Accessories	Operators		
61202	General Purpose		07					96746	- 1		
61203	For use with tools	Pneumatic	87	80 - 150	0.3 micron	3/4" NPT	55 Gallon	32005			
61204	General Purpose / Dry Heavy Chip	Plieumatic	FILEUIIIduu	riicuillatic	05	(5.6 - 10.4 kg/cm ²)	0.3 11101011	3/4 NFT	(208 Liters)	96746	I
61205	General Purpose / Wet		85					70/40			

Additional Specifications: Suggested Air Supply Line to all DrumVac Kits should be: 1/2" (13mm) minimum.

INCLUDED IN Standard Kit	63602	63603	63604	00/50	32013	32015	32014	62346/62347	32012	32005	96746	22014	22010
mouer	03002	03003	03004	80459	32013	32013	32014	02340/0234/	32012	32000	70/40	32016	32010
61202	Х			Х				62347	Х		Х		
61203		Х		Х				62347	Х	х			ACCESSORIES
61204			Х		Х		Х	62346	Х		х	UP HOWAL A	ACCESSORIES
61205			Х			Х	Х	62346	Х		Х		







DYNABR









ELECTRIC DRUM VACUUM GENERAL PURPOSE OR USE WITH TOOLS

The electric powered DrumVac kit is a multi-industry clean air solution with fully integrated features designed to keep an operator working, without being concerned with the arduous task of changing out a vacuum bag in high collection scenarios. Used in conjunction with a 55 gallon drum, this system lends itself to one of the largest capacity portable dust/chip collection systems in the industry.

Operator Benefits

- 55 Gallon drum equates to large collection capacity.
- No bag change-out requirements.
- Anti-Static clean up kit eliminates static discharge to operator.
- Vacuum hose with integrated airline reduces operator fatigue and prevents tripping hazards.

Functionality Highlights

- Bypass motor utilizes clean air to cool and extend motor life.
- Overload protection powers down vacuum prior to motor failure from overheating.
 Self-cleaning HEPA filtration provides a burst of clean air through filter,
- promoting proper airflow for power-head performance and extended filter life.
- Selected single or dual operator mode. Dual operator will require an additional vacuum hose assembly to be purchased as an accessory.
- Integrated auto on/off when using system with tools.

QUICK REFERENCE MATERIAL GUIDE FOR DUST COLLECTION

Please consult factory for additional qualified materials.



POW	RY LOCATION 'ER HEAD — Sembly			N ⁻¹
	PA FILTER .95% @ 0.3 MICR	ONS		
POW	FACE RING Er head to I transfer		DYNAR	0
ALL	INLET DWS UP TO PERATORS			T
ASTM GI Wall	<mark>LON DRUM</mark> — Rade (1.1 mm) Thickness Separately)			
HEAVY DUT	E <mark>LED BASE —</mark> IY COMPACT BASE SEPARATELY)		8	No.
Region Supply	Unit Capacity Size 55 Gallon	Supporting Accessories 96746	Operators Single	Cord Set

Model No.	Description	Powered By	Noise Level dB(A)	Air Pressure (PSIG)	H.E.P.A. Filter	Region Supply	Unit Capacity Size	Supporting Accessories	Operators	Cord Set
61200	General Purpose	120/60 Hz	75	80-150	0.0	US/CA 15 Amp	55 Gallon (208 Liter)	96746	Single	27' (8 M)
61201	For use with tools		120/60 HZ	120/60 HZ	0/60 Hz 75 0.3 micron 0.3 micron			32005	Dual	

Additional Specifications: Suggested Air Supply Line to all DrumVac Kits should be: 1/2" (13mm) minimum.

INCLUDED IN Standard Kit	6		-			V					
Model	63600	63605	80459	62346/62347	32012	32011	32005	96746	32005	32016	32010
61200	х		Х	62347	Х			Х		FIONAL ACCESSO	
61201		Х	х	62347	Х		Х				

DYNABRADE.COM

RAPTOR VAC® DRUM VAC **D23-09**